



6-11-04

1623
Sfw

EXPRESS MAIL EV 333 997 383 US

Interview Summary Address to: Mail Stop Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	Attorney Docket No.	SHIM-008
	Confirmation No.	6229
	First Named Inventor	MIYATA, TOSHIO
	Application Number	09/763,286
	Filing Date	August 28, 2001
	Group Art Unit	1623
	Examiner Name	LEWIS, PATRICK T.
	Title:	"CARBONYL-STRESS IMPROVING AGENT AND PERITONEAL DIALYSATE"

Dear Sirs:

The undersigned attorney discussed the above-referenced patent application with Examiner Patrick Lewis on June 8, 2004. After obtaining approval from the client with respect to the claim amendments which were outlined in the Examiner's "draft examiner's amendment" (attached) the Examiner was contacted on June 9, 2004 to authorize the amendments. There was an indication that the application would be allowed with those amendments entered.


In the event that any fees are due in connection with the filing of this document the Commissioner is authorized to charge such fees to our Deposit Account No. 50-0815, attorney docket SHIM-008.

Respectfully submitted,
BOZICEVIC, FIELD & FRANCIS LLP

Date:

9/June/04

By:


Karl Bozicevic
28,807

BOZICEVIC, FIELD & FRANCIS LLP
200 Middlefield Road, Suite 200
Menlo Park, CA 94025
Telephone: (650) 327-3400
Facsimile: (650) 327-3231

Application/Control Number: 09/763,286
Art Unit: 1623

Page 2

***DRAFT EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Karl Bozicevic on June 8, 2004.

The application has been amended as follows:

Claims 20, 27-28, 33, 35, and 38-39 have been canceled.

In claim 29, line 1, after the term "method", the phrase —for preparing a peritoneal dialysate having a reduced carbonyl compound content— has been inserted.

In claims 30, 31, 32, 34, 36, and 37, line 1, the term "adsorbent cartridge" has been deleted and the term —carbonyl compound-trapping agent— has been inserted therefor.

In claim 32, lines 1-2, the phrase "is comprised of a guanidine derivative" has been deleted and the phrase —comprises methylguanidine— has been inserted therefor.

In claim 34, lines 1-2, the phrase "is comprised of a hydrazine derivative" has been deleted and the phrase —comprises sulfonylhydrazine— has been inserted therefor.

Claim 40 has been added.

Application/Control Number: 09/763,286
Art Unit: 1623

Page 3

—40. The method of claim 29, wherein the carbonyl compound-trapping agent is chosen from activated charcoal, guanidine, aminoguanidine, biguanide, cysteine, and albumin.---

Contacts

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick T. Lewis whose telephone number is 571-272-0655. The examiner can normally be reached on M-F 10:00 am to 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James O. Wilson can be reached on 571-272-0661. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patrick T. Lewis, PhD
Examiner
Art Unit 1623

James O. Wilson
Supervisory Patent Examiner
Technology Center 1600

ptl